



escape may no longer be necessary . . .





The traditional efforts to escape from areas of "high pollen count" by plane, car, train or ship may frequently be unnecessary. This summer many people will be able to stay at home, or go vacationing from preference rather than from the necessity of escape. The reason is BENADRYL. The patient will appreciate the facility with which this antihistaminic induces relief from the symptoms of allergy. In most cases, from 25 to 50 mg. are sufficient to produce complete symptomatic relief.

BENADRYL (diphenhydramine hydrochloride) is available in Kapseals® of 50 mg. each, in capsules of 25 mg. each, and as a palatable elixir containing 10 mg. in each teaspoonful.







DIETHYLSTILBESTROL Warren-Teed

known for uniformity, purity, potency requirements of all



-THE WARREN-TEED PRODUCTS COMPANY • COLUMBUS 8 • OHIO-

GREENS' EYE HOSPITAL

Completely equipped for the surgical and medical care of all cases pertaining to ophthalmology and otolaryngology



ADDRESS ALL COMMUNICATIONS TO M. HAMILTON, SUPERINTENDENT

BUSH STREET AT OCTAVIA · SAN FRANCISCO · TELEPHONE WEst 1-4300

An Insurance Policy!

it costs you nothing—yet protects YOUR

Goodwill

"GUTH'S SERVICE"

Supplies the Prescription Pharmacists

Pharmaceuticals & Biologics
Exclusively Wholesale

C. RODOLPH GUTH

DOuglas 8165

Flood Building • San Francisco 2

Advertisers in your Official Journal will appreciate requests for literature

ADVERTISERS

Abbott Laboratories	35
Acme Breweries Alexander Sanatorium, Inc., The	46
Alum Rock Sanatorium	17 38
Arlington Chemical Company, The	29
Ayerst, McKenna & Harrison, Limited	15
Barnes-Hind Laboratories	48 51
Baxter, Inc., Don. Benjamin, M. J. Borcherdt Malt Extract Company.	52
Borden Company, The	42 32
Broemmel's Pharmaceuticals	3
California Sanatorium, The Camp and Company, S. H. Chicago Medical Society, The Classified Advertisements	58
Chicago Medical Society. The	25 36
Classified Advertisements	8
Ciba Pharmaceutical Products, Inc. Insert 16 and 17, Coca-Cola Company, The Compton Sanitarium	43
Coca-Cola Company, The	17
Cook County Graduate School of Medicine	46
Cook County Graduate School of Medicine Crocker First National Bank	10 er
Devereux Schools	16
	5 8
French Hospital	3
Garden Grove SanitariumGreens' Eye HospitalGuth, C. Rodolph	57 7
Guth, C. Rodolph	7
The ele I aboutomica Inc	20
Harrower Laboratory, Inc.	26 19
Hanger, Inc., J. E	49
Ingram Laboratories, Inc	12
Jenkel-Davidson Optical Company	21
King Ambulance Company Kinney & Sons, Inc., H. W	11
T T T3-11-	40
Las Encinas SanitariumInsert	32
Livermore Sanitarium	24
Luziers, Inc.	28
Las Loma Feiz. Las Encinas Sanitarium. Lilly and Company, Eli	28 50
M & R Dietetic Laboratories, Inc	50 er 39
M & R Dietetic Laboratories, Inc	50 er 39
M & R Dietetic Laboratories, Inc	50 er 39
M & R Dietetic Laboratories, Inc	50 er 39
M & R Dietetic Laboratories, Inc	50 yer 39 23 53 24 38
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 524 38 1 6 22 36 45 42 54 16 30
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 524 38 1 6 22 36 45 42 54 16 30
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45 44 16 30 44 31 52
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45 44 16 30 44 31 52 22
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45 44 16 30 44 31 52 22
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45 44 16 30 44 31 52 22
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45 44 16 30 44 31 52 22
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45 44 16 30 44 31 52 22
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45 44 16 30 44 31 52 22
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45 44 16 30 44 31 52 22
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45 44 16 30 44 31 52 22
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45 44 16 30 44 31 52 22
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50 yer 39 23 53 24 38 1 6 22 36 45 44 16 30 44 31 52 22
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50r3 233 25248 6 226 452460 44 312 2 2 8 4 0 0 9 3 3 4 4 4 7 9 5 5 4 4 7 9 5 5 4 4 7 9 5 5 4 4 7 9 5 5 4 4 7 9 5 5 4 4 7 9 5 5 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50r3 233 25248 6 226 452460 443122 2840093 3444 955 3544 795 344 132 2
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50r3 233 25248 6 226 452460 443122 2840093 3444 955 3544 795 344 132 2
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50r9 233 248 6 226 452460 431522 2400933447 955447 2 4 12 6 0
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50r9 233 248 6 226 452460 431522 2400933447 955447 2 4 12 6 0
M & R Dietetic Laboratories, Inc. Mead Johnson & Co	50r9 233 248 6 226 452460 431522 2400933447 955447 2 4 12 6 0

Classified Advertisements

Rates for these insertions are \$4 for fifty words or less; additional words 5 cents each.

Copy for classified advertisements should be received not later than the tenth of the month preceding issue.

AZNOE'S, established 1896, has available a splendid group of well trained Physicians for appointments. Many desire assistantships; others are specialists qualified to head departments. We also place Nurses, Dietitians, Laboratory, X-ray and Physiotherapy Technicians. For biographies, please write Ann Woodward, Director, Aznoe's-Woodward Medical Personnel Bureau, 185 N. Wabash Ave., Chicago.

HILLSIDE HOUSE: A twenty-four hour school for Spastic Children only. In addition to regular schooling they receive daily physiotherapy treatments under the supervision of an Orthodepic Surgeon. Must be mentally alert. Minimum tuition \$175.00 per month. For details write Hillside House, 501 Ontare Road, Santa Barbara, California.

BEVERLY HILLS, California Physicians office. Built in files and instrument cabinets. Beautifully furnished extra large reception room with receptionist. Beverly Hills Professional Building. Unusually good transportation. Approximately 1,000 square feet partitioned, and will nicely accommodate two physicians. Complete X-Ray and Laboratory in building. Write W. E. Schwartz, D.D.S., 105 N. San Vicente Blvd., Beverly Hills.

OPHTHALMOLOGIST desires California location, clinic or group association. Medical, and 3 year postgraduate training ophthalmology finest midwestern Universities. Present position, First Assistant to University Chief of Dept. Previous private practice. Eligible for Boards. Well qualified to assume responsible position. Best references furnished. Box 11,080, California Medicine.

FOR SALE—G. U. table used very little; Brown-Buerger Cystoscope and all G. U. accessories. Inspect equipment 105 East Garvey, Monterey Park. Make offer. No reasonable offer rejected.

WANTED RADIOLOGIST for Locum Tenens the month of September; Diagnostic Roentgenology and X-Ray Therapy. State qualifications. Please write Rex Uncapher, M.D., Scripps Memorial Hospital, La Jolla, California.

RESIDENT PHYSICIAN for private sanitarium and clinic near Los Angeles. Internal medicine and some experience in N. P. work desirable. Excellent opportunity for qualified, energetic, ambitious gentile. Salary open. Furnished residence on grounds. State full particulars regarding experience, training, religion and salary expected. Also furnish recent photograph. Box 12,000, California Medicine.

PHYSICIANS' OPENINGS CALIFORNIA—INTERNIST for group, 80 miles from Bay area. Certified or eligible to board. Trial period then share partnership. EENT specialist wishes associate. If well qualified, pay to \$1000.00, or will train young man. Extensive surgical practice. GENERAL PRACTITIONER, associate with older physician, small community. General medicine, obstetrics, surgery. Later take over practice. OBSTETRICIAN also interested pediatrics for association with surgeon, Bay area community. No specialists this area. EENT specialist for association with internist, surgeon in resort area. New medical building. Write, Hedwig Falkell, Director, Pacific Coast Medical Bureau Agency, Inc., 1406 Central Tower, San Francisco 3.


SANITARIUM—Fine location in Mountain View, California. Modern, fully equipped. Beautiful gardens. Licensed for twenty patients. Owner has operated this institution for eight years. Retiring, desires to sell business. Please reply to Box No. 12,010, California Medicine.

FOR SALE BY ESTATE—Baumanometer Desk Model, \$17.50; Brown Buerger Cystoscope, \$190.00; Brown Buerger Cystoscope, \$100.00; McCarthy Pan Endoscope, \$135.00; McCarthy Cysto-Urethrascope, \$25.00. Telephone Overland 0332, or write C. R. Easley, 114 Belgrave Avenue, San Francisco, California.

WANTED—California licensed physicians-surgeons. ORTHOPEDIST Clinic Group \$18,000; INTERNIST \$12,000; INTERNIST with secondary interest in psychiatry \$10,000-\$12,000; MEDICAL DIRECTOR for Coast Industry, some travel \$10,000; GENERAL PRACTICE \$6,000 plus 8-room house; EENT for 4-man Group; EENT partnership basis little or no competition; FOREIGN good hospital facilities, many benefits. Many other positions. No registration fee. Write for forms, Helen Buchan, Director, Continental Medical Bureau Agcy., 510 West Sixth Street, Los Angeles 14.

HOSPITALS FOR SALE, several include established surgical practices. Generally under 50 beds. Helen Buchan, Licensed Real Estate Broker, Continental Medical Bureau, Agency, 510 West 6th Street, Los Angels 14.

(Continued on Page 10)



DEPENDABLE PHARMACEUTICALS

- € Like a gem, every case in your daily practice presents many facets besides the strictly medical ones—constitution, temperament, environment, AND the reliability of the medication you prescribe.
- Most of these contributing factors are outside your control. Certainly, in these busy days, you cannot take time to trace the manufacturing history of every drug you use.
- What you <u>can do</u> is to prescribe pharmaceuticals of unquestioned reliability—drugs you can depend upon.
- You <u>can depend</u> upon Dorsey products for unvarying purity and potency, for they are made under rigidly standardized conditions. Laboratory and manufacturing equipment, personnel and procedure are <u>constantly</u> <u>protecting</u> <u>your treatment with Dorsey drugs.</u>

THE SMITH-DORSEY COMPANY
LINCOLN, NEBRASKA

Branches at Dallas and Los Angeles



MANUFACTURERS OF

PURIFIED SOLUTION OF LIVER-DORSEY
SOLUTION OF ESTROGENIC SUBSTANCES-DORSEY



PROTEIN SPARER

Carbohydrates as protein sparers have particular significance in infant nutrition, which requires a high order of efficient utilization of protein for an active metabolism.

CARTOSE* is well tolerated; its content of dextrins in association with maltose and dextrose minimizes gastrointestinal discomfort due to an excessive concentration of readily fermentable sugars in the gastrointestinal tract.

CARTOSE is liquid, facilitating

rapid, exact formula preparation. It is compatible with any formula base — liquid, evaporated, or dried milk.

SUPPLIED: In clear glass bottles containing 1 pt. Two tablespoonfuls (1 fl. oz.) provide 120 calories. Available through recognized pharmacies only.



Míxed Carbohydrates

*The word CARTOSE is a registered trademark of H. W. Kinney & Sons, Inc.

H. W. KINNEY & SONS, INC.



COLUMBUS, INDIANA

Putting <u>palatability</u> into <u>hig</u>h-<u>protei</u>n diets

Swift's **Strained Meats**



Prepared originally for infant feeding now used extensively for special diet cases

Good food plays a psychologically as well as a physiologically important part in aiding recovery. This is one reason so many doctors are now using Swift's Strained Meats for patients on high-protein, low-residue diets containing chemically and physically non-irritating foods. Swift's Strained Meats provide a palatable, *natural* source of complete, high-quality proteins, B vitamins and minerals for patients whose condition prohibits the use of meats prepared in the ordinary manner. Each of the six kinds: beef, lamb, pork, veal, liver and heart, offers a tempting, distinctive meat flavor more readily accepted by patients, even when normal appetite is impaired.


Lean meat—strained fine enough for tube-feeding

Swift's Strained Meats, developed originally for feeding to young babies, are prepared from selected, lean U. S. Government Inspected Meats. They are carefully trimmed to reduce fat content to a

minimum. The meats are slightly salted and strained so fine they will pass through the nipple of a nursing bottle... may easily be used in tube-feeding. Convenient to use—especially for patients at home—Swift's Strained Meats are ready to heat and serve! Each vacuum-sealed tin contains 3½ ounces of meat.

Swift's Diced Meats—tender, juicy cubes

For soft, smooth, high-protein and low-residue diets, these small cubes of lean meat offer new convenience and appetizing variety. Swift's Diced Meats are tender juicy pieces of meat, easily mashed into smaller particles if desired. 5 ounces per tin.



We will be glad to send you further information about Swift's Strained and Swift's Diced Meats with samples. Write Swift & Company, Dept. BF, Chicago 9, Illinois.

All nutritional statements made in this advertisement are accepted by the Council on Foods and Nutrition of the American Medical Association.



SWIFT & COMPANY . CHICAGO 9, ILLINOIS



WHENEVER NUTRIENT INTAKE MUST BE AUGMENTED

The occasion frequently arises when the intake of all essential nutrients must be increased, as in general undernutrition, following recovery from infectious diseases and surgical trauma, and during periods of anorexia when food consumption is curtailed.

In the general management of these conditions, the dietary supplement made by mixing Ovaltine with milk can find wide applicability. Delicious in taste, it is enjoyed by all patients, young and old. Its low curd tension

and easy digestibility impose no added gastrointestinal burden on the patient. This nutritious food drink supplies all the nutrients considered essential for a dietary supplement: biologically adequate protein, readily utilized carbohydrate, easily emulsified fat, B-complex and other vitamins including ascorbic acid, and essential minerals. The recommended three glassfuls daily virtually assures normal nutrient intake when taken in conjunction with even a fair or average diet.

THE WANDER COMPANY, 360 N. MICHIGAN AVE., CHICAGO 1, ILL.



Ovaltine

Three servings daily of Ovaltine, each made of ½ oz. of Ovaltine and 8 oz. of whole milk,* provide:

CALORIES	669	VITAMIN A 3000	J.U.
PROTEIN	32.1 Gm.	VITAMIN B1 1.16	mg.
FAT	31.5 Gm.	RIBOFLAVIN 2.00	mg.
CARBOHYDRATE	64.8 Gm.	NIACIN 6.5	
CALCIUM		VITAMIN C 30.0	
PHOSPHORUS		VITAMIN D 417	
IRON		COPPER 0.50	

*Based on average reported values for milk



The "sense of well-being" so frequently reported by patients following "Premarin" therapy often means the difference between an active, enjoyable middle age and a sedentary one. Not only prompt relief from distressing menopausal symptoms but also a brighter mental outlook which may be translated into a desire "to be doing things"...such are the results which may usually be expected following "Premarin" administration . . . therapy with a "plus."

"Premarin" provides effective estrogenic therapy through the oral route with comparative freedom from untoward side effects.

"Premarin" is available as follows:

 Tablets of 2.5 mg.
 bottles of 20 and 100.

 Tablets of 1.25 mg.
 bottles of 20, 100 and 1000.

 Tablets of 0.625 mg.
 bottles of 100 and 1000.

 Liquid, containing 0.625 mg. in each 4 cc. (1 teaspoonful)
 bottles of 120 cc.

While sodium estrone sulfate is the principal estrogen in "Premarin," other equine estrogens... estradiol, equilin, equilenin, hippulin... are also present as water-soluble sulfates. The water solubility of conjugated estrogens (equine) assures rapid absorption from the gastrointestinal tract.






CONJUGATED ESTROGENS
(equine)



AYERST, McKENNA & HARRISON Limited

22 EAST 40th STREET, NEW YORK 16, N. Y.



Letablished 1935

WALTER L. VOEGTLIN MD. FACR. Chief of Staff.

FREDERICK LEMERE MD. FACP.

Staff Psychiatrist

PAUL O'HOLLAREN, MD.

Asst. Chief of Staff

WILLIAM R. BROZ, MD.

Medical Director

WARREN E. TUPPER, MD.
Asst. Medical Director

NELLE O'HOLLAREN, B.S. directs the Shadel Sanitarium laboratory, the facilities of which are as complete as any general hospital. Members of the Nursing and Social Service staffs of this institution are all specialists in their respective functions.

Recognized by the American Medical Association Member of the American Hospital Association



Specialists in Therapy for

CHRONIC ALCOHOLISM

By the Conditional Reflex and Adjuvant Methods

WHAT DO WE MEAN BY ADJUVANT METHODS?

Disintoxication with a minimum of sedative medication—hydrotherapy—parenteral fluids.

Complete physical evaluation with correction of deficiencies—bodily—vitamin—nutritional.

Psychiatric evaluation and recommendations as indicated.

Pentothal narcoanalysis and narcosynthesis.

Investigation of the social background and environment. Social rehabilitation by trained field counselors throughout the first year.

Conditioned reflex therapy is given to all patients. . . . Only those adjuvant methods are administered which may be indicated after complete physical and psychological investigation.

It is the desire of Shadel Sanitarium to cooperate with the family Physician and Psychiatrist to achieve permanent abstinence for the Chronic Alcoholic

7106 35th Ave., S. W., Seattle 6, Wash.

WEst 7232

Cable Address: REFLEX

The Role of Gastroscopy in the Diagnosis and Treatment of Gastric Pathology

AS PRESENTED BY: LEO L. HARDT, M. D.

Clinical Professor of Medicine Loyola University School of Medicine

AT THE: American Medical Association Session Atlantic City, June 9th to 13th, 1947.

This film

contains a critical visual evaluation of diagnostic methods and antacid therapy.

Courtesy prints are available for

showing at medical society meetings, on application to the Harrower Research and Development Division.

16 mm.


Kodachrome with sound-running time about 30 minutes.

HARROWER LABORATORY, INC · GLENDALE, CALIFORNIA

T is sometimes very important—and difficult—to keep glasses on a child who needs visual correction. The making and precise fitting of frames for children has been a rewarding specialty with us. They'll wear Jenkel-Davidson glasses!

SAN JOSE: 231 E. Santa Clara Street
SALINAS: Salinas National Bank Building
SAN MATEO: 310 S. San Mateo Drive





FORMULAC Infant Food provides a balanced and flexible formula basis for general infant feeding — both in normal and difficult diet cases.

A product of National Dairy research, Formulac is a concentrated milk in liquid form, fortified with all vitamins known to be necessary for proper infant nutrition. No supplementary vitamin administration is necessary with Formulac. The Vitamin C content is stabilized, assuring greater safety.

The only carbohydrate in FORMULAC is the natural lactose found in cow's milk—no other carbohydrate has been added. This permits you to prescribe both the amount and the type of carbohydrate supplementation required.


Formulac is promoted ethically, to the medical profession only. Clinical testing has proved it satisfactory in promoting normal infant growth and development. On sale in grocery and drug stores throughout the country, Formulac is priced within range of even modest incomes.

Distributed by KRAFT FOODS COMPANY

NATIONAL DAIRY PRODUCTS COMPANY, INC.
NEW YORK, N. Y.

 For further information about FORMULAC, and for professional samples, mail a card to National Dairy Products Company, Inc., 230
 Park Avenue, New York 17, N. Y.





Support During Pregnancy CAMP

By relieving the forward and downward shift of the enlarged uterus, Camp prenatal supports take some of the tension from the abdominal muscles and fasciae, assist in the return of venous blood, prevent many backaches and give exceptional support to the softened joints of the pelvic girdle.


Experience shows that best results are obtained when prenatal supports are applied during the fourth month and worn faithfully throughout pregnancy.

S. H. CAMP AND COMPANY • JACKSON, MICHIGAN

World's Largest Manufacturers of Scientific Supports

Offices in New York • Chicago • Windsor, Ontario • London, England

Advertisers in your Official Journal will appreciate requests for literature



Urinary Stimulation

Stimulation of urinary secretion with Salyrgan-Theophylline appears to be due chiefly to its renal action consisting of depression of tubular reabsorption. In addition, there is a direct influence on edematous tissue, mobilizing sodium chloride and water.

Salyrgan-Theophylline is indicated primarily in congestive heart failure when edema and dyspnea persist after rest and adequate digitalization. Gratifying diuresis usually sets in promptly and often totals from 3000 to 4000 cc. in twenty-four hours.

Injections at about weekly intervals help to insure circulatory balance for long periods of time.

Good results may also be obtained in chronic nephritis and nephrosis.

SALYRGAN THEOPHYLLINE

Brand of Mersalyl and Theophylline

WELL TOLERATED POTENT MERCURIAL DIURETIC

Ampuls of 1 cc. and 2 cc. for intramuscular and intravenous injection.

Enteric coated tablets for oral use.

CHEMICAL COMPANY, INC.

NEW YORK 13, N. Y. WINDSOR, ONT.

SALYRGAN, trademark Reg. U. S. Pat, Off. & Canada

Men and Amino Acids

Osborne's forty years of research effort contributed a great deal to our modern knowledge of proteins. On graduating from Yale University, he studied medicine for a year, then took a Ph.D. in chemistry; in 1886 he began his lifework as a staff member at the Connecticut Agricultural Experiment Station under Professor S. W. Johnson. His work on vegetable proteins was presented in an important series of papers dealing with the proteins of no less than 32 edible and other seeds. He revealed the inadequacy of characterizing protein preparations solely on the basis of their elemental composition; indicated that most of the known proteins could be classified by methods of amino acid analysis and by their physical properties; demonstrated that different types of plant and animal cells have distinctive protein patterns. With Mendel, he showed that the wide variations in nutritive value of different proteins were related to their amino acid content, and introduced the protein efficiency concept, about which much work in protein nutrition is now centered. With H. Gideon Wells, he investigated anaphylactogenic effects of vegetable proteins. The American Association of Cereal Chemists founded the Thomas Burr Osborne gold medal in recognition of his valuable work in cereal chemistry. He ranks, with Fischer and Kossel, among the greatest pioneers of protein research.

THOMAS BURR OSBORNE —1859-1929

The Arlington Chemical Company

Yonkers 1,




New York

Sixth in a series

Experience is the Best Teacher

Robert Koch (1843-1910) proved it in bacteriology...

Koch showed in his postulates that he knew the value of experience: Specificity is demonstrated only when the microorganism (1) is present in all cases of the disease, (2) can be cultivated in pure culture, (3) produces the disease in susceptibles on inoculation, and (4) can be recultivated in pure culture.



Yes, and experience is the best teacher in smoking too!

The wartime cigarette shortage was a real experience for smokers. Millions of people smoked whatever brand was available—more different brands than they might ordinarily have tried in years. And from that experience so many more smokers chose Camel as their cigarette that today more people are smoking Camels than ever before.

But, no matter how great the demand, we don't tamper with Camel quality. Only choice tobaccos, properly aged, and blended in the time-honored Camel way, are used in Camels.


According to a recent Nationwide survey:

More Doctors smoke Camels

than any other cigarette

R. J. Reynolds Tobacco Company Winston-Salem, North Carolina

"Taintain the best possible nutritional status in the diseased and injured..."



So advises the National Research Council's Committee on Convalescence and Rehabilitation (War Med. 6:1, 1944).

Gerilac

A Dietary Supplement for Convalescents and the Aged. GERILAC contains spray-dried whole milk and skim milk, and is fortified with vitamins A and D, B-Complex, C, together with niacinamide, mono-sodium phosphate and iron citrate. Available in 1-lb. tins at all pharmacies.



A PLEIGIS APPROACH

TAMUCIL

upproaches "applied physiology" in the management of constipation.

The "smoothage" principle—the gentle, honirritating action of Metamucil—encourages normal physiologic bowel function.

Metamucil is the highly refined mucilloid of Plantago ovata (50%), a seed of the psyllium group, combined with dextrose (50%) as a dispersing agent.




Metamucil is the registered trademark of G. D. Searle & Co., Chicago 80, Illinois.

SEARLE

RESEARCH IN THE SERVICE OF MEDICINE

Advertisers in your Official Journal will appreciate requests for literature



83% of petit mal cases improve with Tridione

BIBLIOGRAPHY

1. Richards, R. K., and Everett, G. M. (1944). Analgasic and Anticonvulsant Procenties of 3,55. Trimethyloxazolidine-2,4-dione (Tridione). Federation Proc., 3,39. March. 2. Goodman, L., and Manuel C. (1945). The Anticonvulsant Procenties of Dimethyl. Meethyl Barbituric Acid and 3,55. Trimethyloxazolidine-2,4-dione (Tridione). Federation Proc., 4-119, Mar. 3, Goodman, L. S., Toman, J. E. P., and Swinyard, E. A. (1946). The Anticonvulsant Properties of Tridione, Am. J. Med., 1213, September. 4. Richards, R. K., Peristein, M. A. (1946). Tridione, a New Drug for the Treatment of Convulsive and Related Disorders, Arch Neurol. and Related Disorders, Arch Neurol. and Psychiatr., 55 Tod. February. 5, Lennox, W. G. (1945). The Treatment of Epilepsy, Med Clin North America, 29:1114. September. 6. Thorne, F. C. (1945). The Anticonvulsant Action of Tridione: Preliminary Report, Psychiatric Quart., 19: 686, Oct. 7. Lennox, W. G. (1945). Rower Agents in the Treatment with Tridione. J. Amer Med Assn., 129: 1059. Dec. 15. 8. Lennox, W. G. (1946). Newer Agents in the Treatment of Epileosy, J. Pediat., 29:356, Sept. 9, De Jong, R. N. (1946). Richer Officiane in Control of Psychomotor Attacks, J. Amer. Med. Assn., 130: 555. Mar. 2, 10, Perlitein, M. A., and Andelman, M. B. (1946). Two homotor Attacks, J. Amer. Med. Assn., 130: 11, Lennox, W. G. (1946), Two Psychomotor Attacks, Am. J. Psychot., 103: 162, Sept. 12, De Jong, R. N. (1946), Turther Observations on the Use of Tridione in the Control of Psychomotor Attacks, Am. J. Psychot., 103: 162, Sept. 13, Lennox, W. G. (1947), Tridione in the Treatment in the Treatment of Epilepsy, J. Amer. Med. Assn., 130: 162, Sept. 13, Lennox, W. G. (1947), Tridione in the Treatment in the Treatment of Epilepsy, J. Amer. Med. Assn., 130: 162, Sept. 13, Lennox, W. G. (1947), Tridione in the Treatment in the Treatment of Epilepsy, J. Amer. Med. Assn., 131: 19.

Here's new evidence of the effectiveness of Tridione in the treatment of petit mal. In a recent study, Tridione was given to 166 patients suffering from petit mal (pyknoepilepsy), myoclonic jerks or akinetic seizures.¹³ This group as a whole had received but mediocre benefits from other medicaments. With Tridione, 31% of the 166 became free of seizures; 32% had fewer than one-fourth of the previous number of seizures; 20% improved to a lesser extent; 13% remained unchanged, and only 4% became worse. Thus 83% showed improvement. In some cases the seizures did not return after Tridione was discontinued, the longest seizure-free period thus far being 18 months. Studies also have shown that Tridione is of benefit to certain psychomotor patients when given in conjunction with other antiepileptic drugs.12 Tridione is available through your pharmacy in 0.3-Gm. capsules and in pleasant-tasting aqueous solution containing 0.15 Gm. per fluidrachm. Capsules in bottles of 100 and 1000; solution in 1-pint and 1-gallon bottles. If you wish to know more about Tridione, just write to ABBOTT LABORATORIES, North Chicago, Illinois.

Tridione

(TRIMETHALIONE, ABBOTT)



Neo-Synephrine for relief.

Decongestion of nasal and ocular edema occurs promptly, lasts for hours . . . hypersecretion and excessive lacrimation are quickly checked . . . days are more comfortable, nights more restful.

Neo-Synephrine HYDROCHLORIDE

For hay fever relief

INDICATED for relief of the nasal and ocular symptoms of hay fever, sinusitis and summer colds.

FOR INTRANASAL USE: 1/4% in isotonic saline and in isotonic solution of three chlorides (Ringer's) with aromatics, 1% in saline, 1 fl. oz. bottles; ½% in water-soluble jelly, % oz. applicator tubes.

FOR OPHTHALMIC USE: 1/8% in low surface tension, aqueous solution,* isotonic with tears, 15 cc. bottles.

FREDERICK STEARNS & COMPANY · DIVISION

DETROIT 31, MICHIGAN • New York • Kansas City • San Francisco • Atlanta Windsor, Ontario • Sydney, Australia • Auckland, New Zealand

•Contains Aerosol OT 100 (dioctyl ester of sodium sulfosuccinate) 0.001%

Trade-Mark Neo-Synephrine Reg. U. S. Pat. Off.



The First Prescription...

The First Prescription was written in Egypt about 3700 B.C. Later, when the color of an herb was believed to indicate which planet it was under and for what disease it should be used, herbs were compounded with long prayers for their success to Jupiter, largest of the planets. Next, the prayers were condensed, written over the command "Recipe!" (Take!), and finally shortened to P. (R plus a vestige of the old sign of Jupiter).

The First Dental Prescription was Galen's, about 165 A.D.—a smooth paste for the cavity of an aching tooth (carrot, anise and parsley seeds, saffron, black pepper and opium).


Between those prescriptions—about 2030 B.C., in the Code of Hammurabi—broke the dawn of malpractice law. ("If the doctor has caused a gentleman to die, one shall cut off his hands . . . if he has caused a slave's death, he shall render slave for slave.")

The First Prescription Today, for most doctors, is the complete protection and the confidential service provided by a Medical Protective policy.

MEDICAL PROTECTIVE COMPANY FORT WAYNE INDIANA

Professional Protection EXCLUSIVELY... since 1899

LOS ANGELES Office: C. E. Stephens, Representative, 727 W. 7th Street, Telephone Tucker 5512 SAN FRANCISCO Office: Gordon C. Jones, Representative, 314-450 Sutter Building, Telephone Douglas 3387



a new advance in

the control of bleeding

The development of Gelfoam* by the Upjohn research laboratories marks a new advance in hemostasis. Gelfoam is a readily absorbable, easily cut and molded gelatin sponge which may be used with or without thrombin and may be left in situ without fear of tissue reactions. Gelfoam makes readily available biochemical hemostasis to simplify the clearing of oozing surfaces, the control of capillary bleeding, the arrest of trickling from small veins, and the staunching of annoying hemorrhage from resected tissues. It has a wide variety of indications in surgery and general practice. Gelfoam is a unique addition to the surgical armamentarium for the control of bleeding.



FINE PHARMACENTICALS SINCE 1888

Gelfoam

*Trademark

is made in sponges 20 x 60 x 7 mm, in size. Four sponges are packed in each jar.

Pollen Count of City Air*

Los Angeles 108 Denver 1126 Washington, D.C. 820 697 **Atlanta Boston** 359 Detroit St. Louis Chicago **Des Moines 796 New Orleans**

Omaha 4159 New York 585 Portland, Oregon 36 Philadelphia 1257

Dallas

**Allergy in Practice," Feinberg, S. M., Secon Edition: 1944. Year Book Publishers, Chicago

2077



Pritienzamine

HYDROCHLORIDE

in seasonal hay fever Pyribenzamine has provided effective symptomatic relief in 82 per cent of patients.* It has also been successfully employed in urticarial dermatoses, acute and chronic atopic dermatitis and certain allergic drug reactions. The comparatively low incidence of side effects permits adequate doses in cases where other antihistaminics have not been tolerated.

*Feinberg, J.A.M.A. 132:702, 1946

PYRIBENZAMINE @ (brand of tripelennamine)

For further information, write Professional Service Division

CIBA PHARMACEUTICAL PRODUCTS, INC., SUMMIT, NEW JERSEY

Raleigh Hills Sanitarium

INCORPORATED

Member: American Hospital Association

Exclusively for the treatment of

Chronic Alcoholism

by the Conditioned Reflex and Adjuvant Methods

MEDICAL STAFF

ERNEST L. BOYLEN, M.D. WILLIAM C. PANTON, M.D.

JOHN R. MONTAGUE, M.D.

JOHN D. WELCH, M.D.

JOHN W. EVANS, M.D.

Psychiatrist

B. S. P. MILES, General Manager

S. W. Scholls Ferry Road

P. O. Box 366

Portland 7, Oregon

Telephone CHerry 1144

The subject is: Allergy

The advice, as usual, is: "SEE YOUR DOCTOR" In LIFE and other national magazines. Parke-Davis presents a timely message about allergy (shown below). It appears in full color . . . reaches an audience of nearly 23 million people. It is No. 206 in the "See Your Doctor" series published in behalf of the medical profession.

Some things you should know about allergy

No. 206 m.a. series of messages from Parks, Davis & Co. on the importance of prompt and proper medical care.

EDICAL science has discovered many interest-ing things about allergy.

If today you tell your ductor that you suffer from asthma, sneezing attacks, or itching eyes, one thing he considers is the possibility that you may be allerge—which means that you may be sensitive to substance which causes no trouble for

peope.

In discovering this offending substance (known as an allergen), your doctor acts as a detective. He may ask detailed questions about the time of your attacks, where they occur, the furnishings of your home, the food you ass.

Such questions may give him clues to the nature your trouble. If your attacks come, for instance, of your trouble. If your attacks come, for instance, in the late spring or summer months and last till the first frosts, the will suspect that your trouble is due to some pollen, that you may have some form of "hay fever."

In other forms of allergy, it is not so easy to track down the offending substance. If your case is not clear-cut, your doctor must consider hundreds of possibilities.

A few grains of mustard can make some people violendy ill. A man can be sensitive to his wife's face powder, or to dog hair, or grass pollen, or to the cattle hair in the mat under a rug.

Simple skin tests are often used to reveal the offend-Aumple skin tests are often used to reveal the offend-ing substance. Drops of various extracts—of pollen, foods, and other substances—are injected into the skin or put on skin scratches. If you are sensitive to the sub-stance being tested, a swelling will usually develop within a few minutes.

Once a doctor has found what causes the allergic Once a doctor has found what causes the allergic reaction—by means of the history of the case sup-plemented by skin tests—he will prescribe treatment according to the nature of the patient's sensitivities.

If the patient is allergic to a particular food, the easiest solution is to avoid the food. If his sensitivity is to feathers, the substitution of a fibre pillow for a



feather one may bring surprisingly effective relief.

If the allergen is house dust or pollen, or son At the anergen is nouse that or pouten, or some-thing else that cannot be easily avoided, a series of inoculations may be suggested.

Some people, however, do not respond to this Some people, however, do not respond to this type of treatment, or are sensitive to too many dif-ferent things to make inoculations a practical pro-cedure. New chemical drugs—developed to control allergic reactions in certain types of allergy—are showing promise. They are to be used, of course, only under the direction of a physician.

SEE YOUR DOCTOR. If you suffer from recurring and unexplained attacks of sneezing, skin rashes, or asthma, see your doctor. In allergy, as in other medical problems, your physician can give you more halos and the same halos. help today than ever before.

Makers of medicines prescribed by physicians

PARKE, DAVIS & CO. Serverch and Manufacturing Subportation & Dates 32, Mich.

specific

for gram-positive localized infections!

Administered by instillation, irrigation, wet dressing or spray, Tyrothricin, Sharp & Dohme, is rapidly bactericidal and sparingly absorbed, penetrating minute tissue crevices of the infected area. Moreover, it is relatively stable and possesses a low toxicity when applied topically. • Tyrothricin is remarkably effective in treatment of superficial indolent ulcers, abscesses of the skin and soft tissues, chronic purulent otitis media, mastoiditis, sinusitis, empyema and certain types of wound infections. • Tyrothricin Concentrate (For Human Use), Sharp & Dohme, is supplied as follows: Package containing 1-cc. ampul of a concentrated solution of Tyrothricin, 25 mg. per cc., with vial containing 49 cc. of sterile, distilled water for diluting the concentrate before use; also supplied in 10-cc. and 20-cc. vials of a concentrated solution of Tyrothricin, containing 25 mg. of the antibiotic per cc. • Sharp & Dohme, Philadelphia 1, Pa.



Concentrate

KOROMEX JELLY

- Fastest Spermicidal Time
 measurable under Brown and Gamble technique
- Proper Viscosity for cervical occlusion
- Stable Over Long Period of Time
 pH consistent with that of the normal vagina
- and in addition
 time-tested clinical record

ACTIVE INGREDIENTS: Boric acid 2.0%, oxyquinolin benzoate 0.02% and phenylmercuric acetate 0.02% in a base of glycerin, gum tragacanth, gum acacia, perfume and de-lonized water.



Prescribe Koromex Jelly with Confidence

... send for literature

HOLLAND-RANTOS COMPANY, INC., 551 FIFTH AVENUE, NEW YORK 17, N. Y.



Consistently Zero!



CLINICAL ADVANTAGE IN FEEDING THE PREMATURE

Because Similac, like breast milk, has a consistently zero curd tension, it can be fed in a concentrated high-caloric formula without fear of increased curd tension and lengthened digestive period. Hence, premature infants unable to take a normal volume of food may safely be fed a concentrated Similac formula supplying as much as double the caloric value (per ounce) of the normal dilution. The use of a concentrated formula often avoids serious loss of weight and inanition in the premature infant, and permits a more rapid return to normal weight gain.

M & R DIETETIC LABORATORIES, INC. . COLUMBUS 16, OHIO

SIMILAC

Similar to breast milk



A powdered, modified milk product, especially prepared for infant feeding, made from tuberculin tested cow's milk (casein modified) from which part of the butter fat has been removed and to which has been added lactose, cocoanut oil, cocoa butter, corn oil, and olive oil. Each quart of normal dilution Similac contains approximately 400 U.S.P. units of Vitamin D and 2500 U.S.P. units of Vitamin A as a result of the addition of fish liver oil concentrate.



IN THE DRAMA OF EBB AND FLOW

of man's body fluids, the minuscule sodium ion is a star performer.


The skillful stage director uses stars judiciously, never hazarding their popularity by using them too frequently. So with the physician who prescribes sodium parenterally.

Mindful of the clinical evidence in favor of restricted use of sodium, when edema threatens, he exercises his discrimination in refusing to cast this star in the wrong therapeutic role.



When parenteral solutions of diminished sodium content are desired, these Baxter solutions in the Vacoliter are frequently preferred: 0.45% Sodium Chloride; 5% Dextrose in 0.45% Sodium Chloride; 0.6% Sodium Chloride in 0.6% Sodium r-Lactate. Literature is available.

PER BAXTER, INC.
RESEARCH AND PRODUCTION LABORATORIES
GLENDALE, CALIFORNIA




When you are planning for the inocula-

tions to be given as school days roll

around again, remember the convenience

and efficacy of National Drug's "D-T-P."


Immunity against these three diseases





THE NATIONAL DRUG COMPANY · Philadelphia 44, Pa.

PHARMACEUTICALS, BIOLOGICALS, BIOCHEMICALS FOR THE MEDICAL PROFESSION



Benzedrine Inhaler, N. N. R.

"... is quite effective in the clearing of nasal congestion due to allergy or infection."

Feinberg. S. M.: Allergy in Practice, Chicago, The Year Book Publishers, Inc., 1944, p. 502.



office visits ... for the relief of nasal congestion afforded by Benzedrine Inhaler,

N. N. R. The Inhaler may make all the difference between weeks of acute misery and weeks of comparative comfort.

Benzedrine Inhaler






a better means of nasal medication Smith, Kline & French Laboratories Philadelphia, Pa.









The direct-color photographs shown above establish the prolonged barrier action of "RAMSES" Vaginal Jelly. For photographic purposes, the jelly, which has a transparent clarity, was stained with a nonspermatocidal concentration of methylene blue.

In addition to the barrier action provided by its exclusive gum base "RAMSES" Vaginal Jelly immobilizes sperm rapidly.

Tests by an accredited independent laboratory, supported by clinical work of an outstanding research organization, confirm the lack of irritation and toxicity under continuous use. For dependability in spermatocidal jelly specify




Ramses VAGINAL JELLY

Active ingredients: Dodecaethyleneglycol monolaurate 5%; Boric Acid 1%; Alcohol 5%.

gynecological division JULIUS SCHMID, INC.

quality first since 1883

423 West 55th St., New York 19, N. Y.



VIRTUE

OF DIGITALIS LEAF BUT NONE OF ITS DROSS

Digitaline Nativelle, the original digitoxin, provides all the therapeutic virtue of the whole leaf of *Digitalis purpurea*, yet it is thoroughly free from the inert impurities and dross which the leaf contains in its crude form. This high degree of purification makes possible rapid digitalization by the oral route with virtual freedom from locally induced nausea and vomiting. Absorption from the gastrointestinal tract is prompt and complete. Hence the dosage and speed of action are identical by the oral route and on intravenous administration.

Initial digitalization is achieved in 6 to 10 hours by the oral administration of 1.2 mg. of Digitaline Nativelle, given as a single dose or in two equal quantities of 0.6 mg. at an interval of 3 hours. Maintenance thereafter is easily effected by a dosage of 0.1 mg. to 0.2 mg. daily, depending upon the extent of the patient's activity and individual responsiveness to the drug.

Digitaline Nativelle is indicated whenever the action of digitalis is called for—congestive heart failure, auricular fibrillation, auricular flutter. To make certain that your patient will receive the original digitoxin, kindly specify Digitaline Nativelle on your prescriptions.

Physicians are invited to send for complimentary copy of the brochure "Management of the Failing Heart," and a clinical test sample of Digitaline Nativelle sufficient to digitalize one patient.

DIGITALINE NATIVELLE

The Original Digitoxin

VARICK PHARMACAL COMPANY, INC.

A Division of E. Fougera & Co., Inc.
75 Varick Street, New York 13, N.Y.



HOW SUPPLIED

Digitaline Nativelle is available through all pharmacies in 0.1 mg. tablets (pink) and 0.2 mg. tablets (white) in bottles of 40 and 250, and in ampules of 0.2 mg. (1 cc.) and 0.4 mg. (2 cc.) in packages of 6 ampules and 50 ampules.